


FIG.1

DOUBLE STRANDED OR SINGLE STRANDED DNA OR RNA



MULTIPLE SIGNALS

FIG.2




FIG. 3




FIG. 4




FIG. 5




FIG. 6







FIG. 7


$$+$$


WHERE N_3 IS A TERMINATOR




FIG. 8




FIG. 9





FIG. 10






FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16





FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26

GGTGTATGTTGGAATAAATATCGAATATAAATTTTGATCGAAATTATTCAGAAGCGGCCGGGCGCGGTGCCTC
ACGCCTTGTAATCCCTTCACTTTGGGAGATCAAGGCGGGGGAATCACCTGAGGTCGGGAGTTCGAGACCA
GCCTGGCCAACAGGTGAAACCTCGCCTCTACTAAAAATACAAAAAGTAGCCGGGGGTGGTGGCAGGCGCCT
GTAATCCCAGCTACTCGGGAGGTTGAGGCAGGAGAATCGCTTGAACCCGGGAGGCTGAGGTTGTAGTGAAC
AGCGAGATGGAGCCACTTCACTCCAGCCTGGGTGACAGAGTGAGACTTTGTCGAAAGAAAGAAAGAGAGAA
AGAGAGAGAGAAAAATTATTCAGAAGCAACTACATATTGTGTTTATTTTAACTGAGTAGGGCAAATAAATATA
TGTTTGCTGTAGGAACTTAGGAAATAATGAGCCACATTCATGTGATCATTCCAGAGGTAATATGTAGTTACCAT
TTTGGGAATATCTGCTAACATTTTTGCTCTTTTACTATCTTTAGCTTACTTGATATAGTTTATTTGTGATAAGAG
TTTTCAATTCCTCATTTTTGAACAGAGGTGTTTCTCCTCTCCCTACTCCTGTTTTGTGAGGGAGTTAGGGGAG
GATTTAAAAGTAATTAATACATGGGTAACTTAGCATCTCTAAAATTTGCCAACAGCTTGAACCCGGGAGTTTG
GCTTTGTAGTCCTACAATATCTTAGAAGAGACCTTATTTGTTTAAAAACAAAAAGGAAAAAGAAAAGTGGATAG
TTTTGACAATTTTAAATGGAG

FIG. 27B




FIG. 28




FIG. 29

poly[dG-dC]

...GCGCGCGCGCGC...

FIG. 30A

Bubble complex 1

+1
 |
 TATATTTAGCCC
 5' GGATACTTACAGCCAT TACTCCATTCCATCCCGGGTTCGTCC Non-template strand
 3' CCTATGAATGTCGGTACCTGTGCCGCTTATGAGGTAAGGTAGGGCCCAAGCAGG Template strand
 AA incorporate UTP
 AU incorporate ATP

FIG. 30B

Template strand

3' CCTATGAATGTCGGTACCTGTGCCGCTTATGAGGTAAGGTAGGGCCCAAGCAGG

FIG. 30C




FIG. 31A




FIG. 31B




FIG. 32




FIG. 33




FIG. 34A




FIG. 34B




FIG. 35





FIG. 37



FIG. 38

FIG. 39

P16DF PCR



1st T after P16DF2 = 24mer
 1st TT after P16DF2 = 60mer
 1st TTT after P16DF2 = 169mer

FIG. 40A

FIG. 40B





FIG. 40C




FIG. 41A




FIG. 41B





FIG. 42

FIG. 43



-1-

SEQUENCE LISTING

<110> Ribomed Biotechnologies, Inc.
Hanna, Michelle M.

<120> Molecular Detection Systems Utilizing Reiterative Oligonucleotide
Synthesis

<130> 2072.001PC05

<150> US 10/425,037

<151> 2003-04-29

<150> PCT/US02/34419

<151> 2002-10-29

<150> US 09/984,664

<151> 2001-10-30

<160> 3

<170> PatentIn version 3.2

<210> 1

<211> 20

<212> DNA

<213> Artificial

<220>

<223> P16DF2 Primer

<400> 1

gctctggcga gggctgcttc

20

<210> 2

<211> 23

<212> DNA

<213> Artificial

<220>

<223> P16DF1 Primer

<400> 2

ggggaattgg aatcaggtag cgc

23

<210> 3

<211> 549

<212> DNA

<213> Artificial

<220>

<223> P16DF

<400> 3

-2-

gctctggcga gggctgcttc cggctggtgc ccccggggga gacccaacct ggggcgactt 60
caggggtgcc acattcgcta agtgctcgga gttaatagca cctcctccga gcactcgctc 120
acggcgtccc cttgcctgga aagataccgc ggtccctcca gaggatttga gggacaggggt 180
cggagggggc tcttccgcca gcaccggagg aagaaagagg aggggctggc tggtcaccag 240
aggggtggggc ggaccgcgtg cgctcggcgg ctgcggagag ggggagagca ggcagcgggc 300
ggcggggagc agcatggagc cggcggcggg gagcagcatg ggccttcgg ctgactggct 360
ggccacggcc gcggcccggg gtcgggtaga ggaggtgcgg gcgctgctgg aggcgggggc 420
gctgccaac gcaccgaata gttacggtcg gaggccgatc caggtgggta gagggtctgc 480
agcgggagca ggggatggcg ggcgactctg gaggacgaag tttgcagggg aattggaatc 540
aggtagcgc 549